Amendments to the Specification

IN THE WRITTEN DESCRIPTION

Please replace the paragraphs beginning at page 7, line 15, of the clean copy of the substitute specification with the following rewritten paragraphs:

Further, a second aspect (2) provides a peptide composition where the peptide chains with the above specific amino acid sequences have any of the following amino acid sequences from (1) to (8):

(1) A-6-2 Val Ile Thr Thr Asp Ser Asp Gly Asn Glu (SEQ ID NO. 1)

5

10

- (2) A-6-6 Asn Ile Asn Asp Phe Asp Glu Asp (SEQ ID NO. 2) 5
- (3) SfHe Ala Ala Ser Ser Val Ser Ser Ala Ser Ser
 5 10
 Arg Ser Tyr Asp Tyr Ser Arg Arg Asn Val
 15 20
 Arg Lys Asn (SEQ ID NO. 3)
- (4) SfHA Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala
 5 10

 His Gly Gly Tyr Ser Gly Tyr Glu Tyr Ala
 15 20

 Trp Ser Ser Glu Ser Asp Phe Gly Thr (SEQ ID NO.

4)

25

(5) AfH1 Tyr Gly Trp Gly Asp Gly Gly Tyr Gly Ser
5 10
Asp Ser (SEQ ID NO. 5)

- (6) AfH5 Asp Glu Tyr Val Asp Asn (SEQ ID NO. 6)
 5
- (7) AfH6 Val Glu Thr Ile Val Leu Glu Glu Asp Pro
 5 10
 Tyr Gly His Glu Asp Ile Tyr Glu Glu Asp (SEQ ID

 NO. 7)
 15 20
 - (8) AfH7 Asp Asp Gly Phe Val Leu Asp Gly Gly Tyr
 5 10
 Asp Ser Glu (SEQ ID NO. 8)

Still further, a third aspect (3) provides a peptide excellent for promoting cell growth containing any of the following amino acid sequences from (1) to (8):

(1) A-6-2 Val Ile Thr Thr Asp Ser Asp Gly Asn Glu (SEQ ID NO. 1)

5

- (2) A-6-6 Asn Ile Asn Asp Phe Asp Glu Asp (SEQ ID NO. 2)
- (3) SfHe Ala Ala Ser Ser Val Ser Ser Ala Ser Ser
 5 10
 Arg Ser Tyr Asp Tyr Ser Arg Arg Asn Val
 15 20
 Arg Lys Asn (SEQ ID NO. 3)
- (4) SfHA Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala
 5 10
 His Gly Gly Tyr Ser Gly Tyr Glu Tyr Ala
 15 20

Trp Ser Ser Glu Ser Asp Phe Gly Thr (SEQ. ID NO. 4)

- (5) AfH1 Tyr Gly Trp Gly Asp Gly Gly Tyr Gly Ser
 5 10
 Asp Ser (SEQ. ID NO. 5)
- (6) AfH5 Asp Glu Tyr Val Asp Asn (SEQ ID NO. 6)
- (7) AfH6 Val Glu Thr Ile Val Leu Glu Glu Asp Pro
 5 10
 Tyr Gly His Glu Asp Ile Tyr Glu Glu Asp (SEQ ID

 NO. 7)
 15 20
 - (8) AfH7 Asp Asp Gly Phe Val Leu Asp Gly Gly Tyr
 5 10
 Asp Ser Glu (SEQ ID NO. 8)

Please replace the paragraphs beginning at page 14, line 16, of the clean copy of the substitute specification with the following rewritten paragraphs:

N-terminal portion: I

N-terminal portion (I) is the initial peptide portion and its amino acid sequence is as follows:

Thr Asp Glu Ile Ile Arg Asp Ala Ser Gly Ala Val Ile Glu 50 45 Glu Gln Ile Thr Thr Lys Lys Met Gln Árg Lys Asn Lys Asn 60 65 70 His Gly Ile Leu Gly Lys Asn Glu Lys Met Ile Lys Thr Phe 75 80 Val Ile Thr Thr Asp Ser Asp Gly Asn Glu Ser Ile Val Glu 90 Glu Asp Val Leu Met Lys Thr Leu Ser Asp Gly Thr Val Ala 110 105 Gln Ser Tyr Val Ala Ala Asp Ala Gly Ala Tyr Ser Gln Ser 125 115 120 Gly Pro Tyr Val Ser Asn Ser Gly Tyr Ser Thr His Gln Gly 135 140 130 Tyr Thr Ser Asp Phe Ser Thr Ser Ala Ala Val (SEQ ID NO. 9) 145 150

Crystalline portion: R01, R02, ..., R12

All of R01, R02, R12 are portions called crystalline portion, and the number of amino acid residues is more than 300 for each crystalline portion. It should be noted, however, that the number of amino acid residues of R12 is 54.

The sum of Gly and Ala in each of the crystalline portions (R01 to R11) exceeds ca. 70%.

Noncrystalline portions: A01, A02, ..., A11

30

They are composed of 28 to 32 amino acid residues and are called noncrystalline portion (A).

Their amino acid sequences are as follows:

A01 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly
5 10

Tyr Ser Arg Ser Asp Gly Tyr Glu Tyr Ala Trp Ser Ser
15 20 25

Asp Phe Gly Thr (SEQ ID NO. 10)

- A02 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala His Gly Gly
 5 10
 - Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp
 15 20 25
 - Phe Gly Thr (SEQ ID NO. 11)
- A03 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly
 5
 - Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp 15 20 25
 - Phe Gly Thr (SEQ ID NO. 12)
- - Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp 15 20 25
 - Phe Gly Thr (SEQ ID NO. 13)
- A05 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala His Gly Gly 5
 - Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp 15 20 25
 - Phe Gly Thr (SEQ ID NO. 14)
- A06 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly 5
 - Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp
 15 20 25
 - Phe Gly Thr (SEQ ID NO. 15)
- A07 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly 5
 - Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp 15 20 25
 - Phe Gly Thr (SEQ ID NO. 16)

A08 Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly
5 10

Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp
15 20 25

Phe Gly Thr (SEQ ID NO. 17)

A09 Gly Ser Ser Gly Phe Gly Pro Tyr Val Asn Gly Gly Tyr
5 10
Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp Phe
15 20 25
Gly Thr (SEQ ID NO. 18)

All Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly
5 10

Tyr Ser Gly Tyr Glu Tyr Ala Trp Ser Ser Glu Ser Asp
15 20 25

Phe Gly Thr (SEQ ID NO. 19)

All Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala Asn Gly Gly
5 10

Tyr Ser Arg Arg Glu Gly Tyr Glu Tyr Ala Trp Ser Ser
15 20 25

Lys Ser Asp Phe Glu Thr (SEQ ID NO. 20)
30

C-terminal portion: a

The amino acid sequence of the noncrystalline portion on the C-terminal side is as follows:

Ala Ala Ser Ser Val Ser Ser Ala Ser Ser Arg Ser Tyr
5

Asp Tyr Ser Arg Arg Asn Val Arg Lys Asn Cys Gly Ile
15 20 25

Pro Arg Arg Gln Leu Val Val Lys Phe Arg Ala Leu Pro 30 35

Cys Val Asn Cys (SEQ ID NO. 21)

Please replace the paragraphs beginning at page 19, line 10, of the clean copy of the substitute specification with the following rewritten paragraphs:

<Amino acid sequence in fibroin L-chain>

Met	Lys	Pro	Ile		Leu	Val	Leu	Leu		Ala	Thr	Ser	Ala
				5					10				
Tyr	Ala	Ala	Pro	Ser	Val	Thr	Ile	Asn	Gln	Tyr	Ser	Asp	Asn
15					20					25			
Glu	Ile	Pro	Arg	Asp	Ile	Asp	Asp	Gly	Lys	Ala	Ser	Ser	Val
	30					35					40		
Ile	Ser	Arg	Ala	Trp	Asp	Tyr	Val	Asp	Asp	Thr	Asp	Lys	Ser
		45					50					55	
Ile	Ala	Ile	Leu	Asn	Val	Gln	Glu	Ile	Leu	Lys	Asp	Met	Ala
			60					65					70
Ser	Gln	Gly	Asp	Tyr	Ala	Ser	Gln	Ala	Ser	Ser	Val	Ala	Gln
				75					80				
Thr	Ala	Gly	Ile	Ile	Ala	His	Leu	Ser	Ala	Gly	Ile	Pro	Gly
85					90					95			
Asp	Ala	Cys	Ala	Ala	Ala	Asn	Val	Ile	Asn	Ser	Tyr	Thr	Asp
	100					105					110		
Gly	Val	Arg	Ser	Gly	Asn	Phe	Ala	Gly	Phe	Arg	Gln	Ser	Leu
		115					120					125	
Gly	Pro	Phe	Phe	Gly	His	Val	Gly	Gln	Asn	Leu	Asn	Leu	Ile
			130					135					140
Asn	Gln	Leu	Val	Ile	Asn	Pro	Gly	Gln	Leu	Arg	Tyr	Ser	Val
				145					150				
Gly	Pro	Ala	Leu	Gly	Cys	Ala	Gly	Gly	Gly	Arg	Ile	Tyr	Asp
155					160					165			
Phe	Glu	Ala	Ala	Trp	Asp	Ala	Ile	Leu	Ala	Ser	Ser	Asp	Ser
	170					175					180		
Ser	Phe	Leu	Asn	Glu	Glu	Tyr	Cys	Ile	Val	Lys	Arg	Leu	Tyr
		185					190					195	
Asn	Ser	Arg	Asn	Ser	Gln	Ser	Asn	Asn	Ile	Ala	Ala	Tyr	Ile

້ 200 210 205 Thr Ala His Leu Leu Pro Pro Val Ala Gln Val Phe His Gln 220 215 Ser Ala Gly Ser Ile Thr Asp Leu Leu Arg Gly Val Gly Asn 235 230 225 Gly Asn Asp Ala Thr Gly Leu Val Ala Asn Ala Gln Arg Tyr 250 240 245 Ile Ala Gln AlgAla Ala Ser Gln Val His Val (SEQ ID NO. 22) 260 255

On the other hand, the amino acid sequence of silk protein from the wild silkworm is different from that of the domesticated silkworm, while wild silkworms belonging to the genus Antheraea such as Antheraea yamamai, Antheraea pernyi, Samia cynthia ricini, Antheraea assama and Antheraea mylitta have almost identical amino acid sequences.

For fibroin of Antheraea yamamai, the portion consisting of a repetition of 10 or more alanine residues (A) alone is referred to crystalline portion, and the other portions besides this are referred to noncrystalline portion.

Compared to fibroin from the domesticated silkworm, fibroin from the wild silkworm belonging to the genus Antheraea has a smaller number of residues in each repetitive part of the crystalline portion and the noncrystalline portion.

The amino acid sequences of the noncrystalline portions of fibroin from Antheraea yamamai excepting the crystalline portions having 10 or more sequential alanine residues are shown below.

From the amino acid compositions, the N-terminal portion and the C-terminal portion are also noncrystalline portions. <Primary structure of noncrystalline portions of fibroin from Antheraea yamamai>

N-terminal portion: initial peptide

Met Arg Val Thr Ala Phe Val Ile Leu Cys Cys Ala Leu Gln

10 5 Tyr Ala Thr Ala Asn Asn Leu His His His Asp Glu Tyr Val 25 20 Asp Asn His Gly Gln Leu Val Glu Arg Phe Thr Thr Arg Lys 30 35 His Tyr Glu Arg Asn Ala Ala Thr Arg Pro His Leu Ser Gly 55 50 45 Asn Glu Arg Leu Val Glu Thr Ile Val Leu Glu Glu Asp Pro 65 60 Tyr Gly His Glu Asp Ile Tyr Glu Glu Asp Val Val Ile Asn 80 75 Arg Val Pro Gly Ala Ser Ser Ser Ala Ala Ala Ser Ser 95 90 85 Ala Ser Ala Gly Ser Gly Gln Thr Ile Ile Val Glu Arg Gln 110 100 105

Noncrystalline portions:

115

Ala Gly Ala Ala Gly Ala Ala Gly Ser Ser Ala Arg

5 10

Gly Gly (SEQ ID NO. 24)

120

Ala Ser His Gly Ala Gly Gly Ala (SEQ ID NO. 23)

Gly Gly (SEQ ID NO. 24)
15

Ser Asp Ser (SEQ ID NO. 25)
45

Gly Ser Gly Ala Gly Gly Arg Gly Asp Gly Gly Tyr Gly Ser
5 10

```
Gly Ser Ser (SEQ ID NO. 26)
15
```

Arg Arg Ala Gly His Asp His Ala Ala Gly Ser Ser Gly Gly 5

Gly Tyr Ser Trp Asp Tyr Ser Ser Tyr Gly Ser Glu Ser (SEQ ID NO. 27)

15 20 25

Gly Ser Gly Ala Gly Gly Val Gly Gly Gly Tyr Gly Gly Gly 5

Asp Gly Gly Tyr Gly Ser Gly Ser Ser (SEQ ID NO. 28)

15

Arg Arg Ala Gly His Asp Arg Ala Ala Gly Ser (SEQ ID NO. 29)
5

Ser Gly Ala Gly Gly Ser Gly Gly Gly Tyr Gly Trp Gly Asp
5 10
Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 30)
15 20

Gly Ser Gly Ala Gly Arg Ala Gly (SEQ ID NO. 31)
5

Gly Asp Tyr Gly Trp Gly Asp Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 32)

10

Arg Gln Ala Gly His Glu Arg Ala Ala Gly Ser (SEQ ID NO. 33)

5

Ser Gly Ala Gly Gly Ser Gly Arg Gly Tyr Gly Trp Gly Asp
5 10

Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 34)

5

```
Gly Ser Gly Ala Gly Gly Ala Gly Gly Asp Tyr Gly Trp Gly
                                     10
Asp Gly Gly Tyr Gly Ser Asp (SEQ ID NO. 35)
                    20
15
Gly Ser Gly Ala Gly Gly Ala Gly Gly Asp Tyr Gly Trp Gly
                                     10
Asp Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 36)
15
                    20
Ser Gly Ala Gly Gly Ala Gly Gly Tyr Gly Trp Gly Asp
                5
                                     10
Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 37)
15
                    20
Ser Gly Ala Gly Gly Ala Gly Gly Tyr Gly Gly Tyr Gly Ser
                5
                                     10
Asp Ser (SEQ ID NO. 38)
15
Ser Gly Ala Gly Gly Ser Gly Gly Gly Tyr Gly Trp Gly Asp
                                     10
Gly Gly Tyr Gly Ser Gly Ser (SEQ ID NO. 39)
15
                    20
Gly Ser Gly Ala Gly Gly Val Gly Gly Gly Tyr Gly Trp Gly
                                     10
Asp Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 40)
15
                    20
Ser Gly Ala Gly Gly Arg Gly Asp Gly Gly Tyr Gly Ser Gly
                                     10
                5
Ser Ser (SEQ ID NO. 41)
15
```

```
Serial No. 10/789 494 - Page 13
```

```
Gly Ser Gly Ala Gly Gly Ala Gly Gly Gly Tyr Gly Trp Gly
                                    10
Asp Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 42)
                    20
15
Arg Arg Ala Gly His Asp Arg Ala Ala Gly Cys (SEQ ID NO. 43)
                5
                                    10
Ser Gly Ala Gly Gly Thr Gly Gly Gly Tyr Gly Trp Gly Asp
                                    10
Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 44)
                    20
15
Ser Gly Ala Gly Gly Ser Gly Gly Gly Tyr Gly Trp Gly Asp
                                    10
Gly Gly Tyr Gly Ser Asn Ser (SEQ ID NO. 45)
15
                    20
Ser Gly Ala Gly Arg Ser Gly Gly Tyr Gly Trp Gly Asp
                5
                                    10
Gly Gly Tyr Ser Ser Asp Ser (SEQ ID NO. 46)
                    20
15
Ser Gly Ala Gly Gly Ser Gly Gly Tyr Gly Gly Tyr Gly Ser
                5
                                     10
Asp Ser_(SEQ ID NO. 47)
15
Gly Ser Gly Ala Gly Gly Val Gly Gly Gly Tyr Gly Trp Gly
                                     10
                5
Asp Gly Gly Tyr Gly Gly Ser Asp Ser (SEQ ID NO. 48)
                                         25
15
                    20
Gly Ser Gly Ala Gly Gly Val Gly Gly Tyr Gly Arg Gly
                                     10
Asp Ser Gly Tyr Gly Ser Gly Ser Ser (SEQ ID NO. 49)
```

15 20

Gly His Gly Arg Ser Ser Gly Ser (SEQ ID NO. 50)

Ser Gly Ala GylGly Gly Ser Gly Gly Gly Tyr Gly Trp Asp Tyr
5

Gly Ser Tyr Gly Ser Asp Ser (SEQ ID NO. 51)

15

Ser Ser Gly Ala Gly Gly Ser Gly Gly Gly Tyr Gly Trp Asp
5

Tyr Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 52)

20

Gly Ser Gly Ala Gly Gly Ser Gly Gly Gly Tyr Gly Trp Gly
5 10

Asp Gly Gly Tyr Gly Ser Asp Ser (SEQ ID NO. 53)

20

Ser Arg Arg Ala Gly His Asp Arg Ala TryTyr Gly Ala Gly Ser (SEQ ID NO. 54)

5 10

Gly Ala Gly Ala Ser Arg Pro Val Gly Ile Tyr Gly Thr Asp
5

Asp Gly Phe Val Leu Asp Gly Gly Tyr Asp Ser Glu Gly Ser (SEQ ID NO. 55)

15 20 25

C-terminal portion:

Ser Ser Ser Gly Arg Ser Thr Glu Gly His Pro Leu Leu Ser
5 10

Ile Cys Cys Arg Pro Cys Ser His Arg His Ser Tyr Glu Ala
15 20 25

Ser Arg Ile Ser Val His (SEQ ID NO. 56)

Please replace the paragraphs beginning at page 36, line 1, of the clean copy of the substitute specification with the following rewritten paragraphs:

Tyr Gly His Glu Asp Ile Tyr Glu Glu Asp (SEQ ID NO. 7)

15 20

AfH7 Asp Asp Gly Phe Val Leu Asp Gly Gly Tyr
5 10
Asp Ser Glu (SEQ ID NO. 8)

Please replace the paragraph beginning at page 38, line 8, of the clean copy of the substitute specification with the following rewritten paragraph:

Thus, Asp Ser Asp Gly Asp Glu (SEQ ID NO. 70) from A-6-2, Asp Glu Asp Glu Asp Glu (SEQ ID NO. 71) and Glu Asp (SEQ ID NO. 72) from A-6-6, Ser Ser Glu Ser Ser Glu (SEQ ID NO. 73) and Tyr Gly Gly Tyr Glu Tyr (SEQ ID NO. 74) from SfHA, Asp Gly Gly Tyr Gly Gly Asp (SEQ ID NO. 75) from AfH 1, Asp Glu Tyr Asp Glu Tyr (SEQ ID NO. 76) from AfHS, Tyr Glu Glu Asp Tyr Glu Glu Asp (SEQ ID NO. 77) from AfHG, and the like, and further many more peptides such as Glu Glu Glu Glu (SEQ ID NO. 78), Glu Glu Glu Glu Glu Glu Glu Glu Tyr Glu Tyr Glu Tyr (SEQ ID NO. 80), Glu Glu Tyr Glu Glu Tyr (SEQ ID NO. 81), Tyr Tyr Tyr Tyr Tyr Tyr (SEQ ID NO. 82), Glu Gly Ser Glu Gly Ser (SEQ ID NO. 83) may become SDFGP.

Please replace the paragraph beginning at page 43, line 16, of the clean copy of the substitute specification with the following rewritten paragraph:

Subsequently, the amino acid sequences of A-6-2 and A-6-6 were analyzed on LF3000 Protein Sequencer of BI Technologies Japan Ltd., and their amino acid sequences were found to be as follows:

A-6-2 Val Ile Thr Thr Asp Ser Asp Gly Asn Glu (SEQ ID NO. 1)

5 10

A-6-6 Asn Ile Asn Asp Phe Asp Glu Asp (SEQ ID NO. 2)

Please replace the paragraphs beginning at page 44, line 32, of the clean copy of the substitute specification with the following rewritten paragraphs:

Partial peptides from fibroin H-chain of domesticated silkworm (4 kinds)

SfHC-1 Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala
5 10
Gly Ser Gly Ala Gly Ala Gly Tyr Gly Ala

15 20

Gly Tyr (SEQ ID NO. 57)

SfHC-2 Gly Ala Gly Ala Gly Ser Gly Ala Ala Ser

5

15

10

Gly Ala Gly Ala Gly Ala Gly Ala

20

Gly Thr (SEQ ID NO. 58)

SfHE Ala Ala Ser Ser Val Ser Ser Ala Ser Ser

5

10

Arg Ser Tyr Asp Tyr Ser Arg Arg Asn Val

15 20

Arg Lys Asn (SEQ ID NO. 59)

SfHA Gly Ser Ser Gly Phe Gly Pro Tyr Val Ala

5

10

His Gly Gly Tyr Ser Gly Tyr Glu Tyr Ala

15 20

Trp Ser Ser Glu Ser Asp Phe Gly Thr (SEQ ID NO. 60)

Partial peptides from fibroin of Antheraea yamamai (eight kinds)

	AfH 61)	0	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala_	(SEQ	ID	NO.
	<u>017</u>						5					10			
	AfH	1	Tyr	Gly	Trp	Gly	Asp 5	Gly	Gly	Tyr	Gly	Ser 10			
			Asp	Ser_	(SEÇ	<u>ID</u>		62)				10			
	AfH	2	Ser	Gly	Ala	Gly	Gly 5	Ser	Gly	Gly	Tyr	Gly 10			
			Gly	Tyr	Gly	Ser		Ser_	(SEÇ	O ID	NO.				
	AfH	3	Gly	Ser	Gly	Ala	Gly 5	Gly	Arg	Gly	Asp	Gly 10			
			Gly	Tyr	Gly	Ser	Gly 15	Ser	Ser_	(SEÇ	O ID	NO.	64)		
	AfH	4	Arg	Arg	Ala	Gly	His 5	Asp	Arg	Ala	Ala	Gly 10			
			Ser_	(SEÇ	Q ID	NO.	65)								
	AfH	5	Asp	Glu	Tyr	Val	Asp 5	Asn_	(SEÇ	Q ID	NO.	66)			
	AfH	6	Val	Glu	Thr	Ile	Val 5	Leu	Glu	Glu	Asp	Pro			
		67)	Tyr	Gly	His	Glu	Asp	Ile	Tyr	Glu	Glu	Asp_	(SEQ	ID	NO.
1		<u> </u>					15					20			
	AfH	7	Asp	Asp	Gly	Phe	Val 5	Leu	Asp	Gly	Gly	Tyr 10			

Asp Ser Glu (SEQ ID NO. 68)

Please replace the paragraph containing Table 7 on page 56 of the clean copy of the substitute specification with the following rewritten paragraph containing Table 7:

Table 7
Cell growth activity of synthetic peptides

Amino acid or amino acid	Cell growth rate (%)
sequence of peptides	
Glu	69
Glu Glu	159
Glu Glu Glu (SEQ ID	231
NO. 78)	
Glu Glu Glu Glu Glu	346
(SEQ ID NO. 79)	
Glu Glu Glu Glu Glu	254
Glu Glu Glu (SEQ ID	
NO. 84)	
Tyr Tyr	113
Tyr Tyr Tyr Tyr (SEQ ID	156
NO. 85)	
Tyr Tyr Tyr Tyr Tyr Tyr	239
(SEQ ID NO. 82)	
Asp Glu Asp Glu Asp Glu	322
(SEQ ID NO. 71)	
Glu Tyr Glu Tyr Glu Tyr	207
(SEQ ID NO. 80)	
Glu Glu Tyr Glu Glu Tyr	212
(SEQ ID NO. 81)	

Please replace the paragraph containing Table 8 on page 57 of the clean copy of the substitute specification with the following rewritten paragraph containing Table 8:

Table 8
Adhesion after 5 hour-culture of human skin fibroblasts in dishes coated with each peptide

Synthetic peptide	Adhesion rate (%)
SfHC-1	130
SfHC-2	138
SfHA	205
SfHE	190
AfHO	131
AfH1	169
AfH2	149
AfH3	174
AfH4	151
AfH5	234
AfH6	135
AfH7	153
Asp Glu Asp Glu Asp	229
Glu (SEQ ID NO. 71)	